

66376-387

AP20 Rec'd 670 24 JUL 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:) PATENT
Karl STIFTER *et al.*)
Serial No.: based on) GROUP:
(PCT/AT2005/000009))
Filed: (20 January 2005)) EXAMINER:
) CONFIRMATION NO.
) CUSTOMER NO. 25269

TRAINING DEVICE FOR THE MUSCLES OF
THE PELVIC FLOOR

* * * * *

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

July 24, 2006

Sir:

The inventors herewith submit copies of the documents listed in the
International Search Report, dated 21 September 2005.

Respectfully submitted,

By:

DYKEMA GOOSSETT PLLC


Richard H. Tushin
Registration No. 27,297
Franklin Square, Third Floor West
1300 I Street, N.W.
Washington, DC 20005-3353
(202) 906-8680

24
23
(July 24, 2006)

Sheet 1 of 1

INFORMATION DISCLOSURE STATEMENT Form PTO-1449 (Use several sheets if necessary)		ATTY. DOCKET NO. 66376-387	SERIAL NO. (PCT/AT2005/000009) 10/587176
		APPLICANT Karl STIFTER <i>et al.</i>	
		FILING DATE (20 January 2005)	GROUP

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE
	1,628,272	5/1927	Reitz			
	2,763,265	9/1956	Waters			
	4,881,526	11/1989	Johnson <i>et al.</i>			

U.S. PATENT APPLICATION PUBLICATIONS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE

FOREIGN PATENT DOCUMENTS

	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	TRANSLATION	
						YES	NO
	03/089071	10/2003	WIPO				
	299 10 732	2/2000	Germany				X

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

EXAMINER	DATE CONSIDERED
----------	-----------------

Examiner: Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.